

Features

- 6 BLUE indicator – one for each corresponding remote
- 1 green light indicator for power supply (on indicator receiver)
- 1 buzzer, blows when call button pressed (+85db loudness) with volume controller knob
- Every remote has 1 red light to indicate button press
- Remote TOP button: to call (summon) peon
- Remote CENTER button: to call (summon) peon (Optional)
- Remote BOTTOM button: to cancel the call
- **20-30 meters INDOORS** (depending on environmental condition)
- **100-150meters OUTDOORS** (in open line of sight)

Wireless calling systems

- No wiring
- No installation
- No configuration
- No future maintenance

- Reliable
- Easy to use
- Light weight
- Cost effective



STANDARD MODELS



1 – 6 calling remotes

Model no. (FBXWACS01-to-FBXWACS06)



7 – 9 calling remotes

Model no. (FBXWACS07-to-FBXWACS09)

(the receiver size increases)



10 – 32 calling remotes

Model no. (FBXWACS10-to-FBXWACS32)

(the receiver size increases)

SETS

Set contains:

- * Remotes (quantity as per model)
- * Receiver (1 no.)
- * Batteries (1 for each remote)
- * Remote jackets (1 for each remote)
- * Power supply adapters (1 no.)

Additional customization possible:


- Remote numbers can be changed
- Providing additional spare remotes
- Configuring more than 1 receivers
- Indicator light color change

Additional Information:

There are different models for various applications


- Multiple people calling a single attendant
- Single person calling more than 3 or 6 different people
- 1 remote to call 2- different people

Application images




4- different people are calling single attendant

Single person is calling 6-different attendants



Single person is calling 2-different people



CUSTOMIZED MODELS



Receivers with cancellation remotes



Multiple point calling transmitters




Customized remote numberings



Acknowledgement based calling



Customized receiver indicator



10 point calling + 10 cancellation

SETS

Various different customization possible:

- Cancellation remotes so that peon can also cancel a call
- Mult0point calling transmitter, this supports 3/6/9 attendant calling from a single panel
- Customized remote numbering
- Acknowledgement based calling systems
- Remote calling and cancellation panel support

INSTALLATION IMAGES



CONTACT US

Ph:

+ 91 9742159846

+ 91 9742370190

Email:

forbix.semicon.sales@gmail.com

forbix.semicon.sales1@gmail.com

forbix.semicon.sales2@gmail.com

fbx.purchase@gmail.com

sales@forbixindia.com

REACH US:

FORBIX SEMICON INDIA PVT. LTD.

Bangalore, India

Website: <https://www.forbixindia.com>

FORBIX Osauhing,

Tallinn, Estonia

Website: <https://www.forbix.eu>

Ph: +372 586 07 111

Scan this for our website

