Features

Siren volume 108 decibels

- Remote controller range:
- > 20-30 meters INDOORS
- > 150-200 meters OUTDOORS

Wireless panic alarm





STANDARD MODELS

Set contains:

- 6 Remotes (quantity may vary with other models)
- Receiver with 108db siren along with indication
- Power supply adapter


Set contains:

- 6 Remotes (quantity may vary with other models)
- 2-digit receiver with revolving light
- Power supply adapter


Set

Application












Application


Set





Set contains:

- Wall mount panic buttons (quantity may vary with other models)
- Receiver with 118db siren along with indication
- Power supply adapter





Set contains:

- Remotes (quantity as per model)
- Revolving light receiver
- Power supply adapter



Various applications:


Many panic buttons and 1 receiver (centralized)


1 panic button and many receivers


Many panic buttons and may receivers

Images shown are for 2-3km (7xx series), same architecture holds good for 100-150m aerial distance as well (5xx & 6xx series)

Application images









CONTACT US:

Ph:

+919742159846

+919742370190

Email:

forbix.semicon.sales@gmail.com forbix.semicon.sales1@gmail.com forbix.semicon.sales2@gmail.com fbx.purchase@gmail.com sales@forbixindia.com

REACH US:

FORBIX SEMICON INDIA PVT. LTD. Bangalore, India

Website:

https://www.forbixindia.com

FORBIX Osaühing, Tallinn,

Estonia

Website: https://www.forbix.eu

Ph: +372 586 07 111



FORBIX SEMICON